



TAURUS FFP

Crystal, classic, competitive





FMC LENS

Fully-multi-coated is a multiple coating onto the lens surface to reduce reflections and increase transmission



SHOCK PROOF


Shock tested to 1000g and constructed with durable materials & resistant coatings to ensure internal components are not damaged by recoil




TURRET

You can DIY scope turret label for quick and easy-to-use adjustment
Ergonomically designed with more tactile and audible click adjustments






6 LEVELS ILLUMINATION



TURRET LOCK

Turret lock is a feature of some riflescope models that allows the shooter to lock the turrets in place after sighting in the rifle



4x @100yds

8x @100yds

12x @100yds

16x @100yds

20x @100yds

24x @100yds



A versatile 6x zoom factor: 1-6, 3-18, 4-24, 5-30 etc. Smooth and fast zoom adjustments. Especially useful when shooting at different distances or in rapidly changing conditions.




As magnification changes, the reticle is enlarged and reduced in proportion to the image. Take distance measurements at any magnification for hunters and shooters. An ideal reticle for tactical use.



SIDE FOCUS

From 15 yards to infinity, quickly make precise adjustments without taking your eyes off the target and for medium to long range shooting





WATER PROOF

There are always exciting things to be seen in the world of nature-even in wet weather. A coating for the lenses of Taurus 30mm FFP that enables a clear and unhindered view in all weather conditions



TAURUS FFP

30MM TUBE

34MM TUBE

Magnification
4-24x

Objective Lens Dia
50mm

Ocular Lens Dia
36mm

Exit Pupil (mm)
12.5-2.1

Eye Relief (mm / in)
100 / 4.0

Battery Type
CR2032

F.O.V (@100meters)
9.1-1.5 meters

F.O.V (@100yds)
25.5-4.2 feet

Finish
Black matte

Adjustment range
≥15MIL

Click Value
1/10 MIL

Diopter compensation
-2 to +1.5

Length (mm / inch)
380 / 15.0

Weight (net)(g / oz)
770 / 27.2

Illumination
6 levels **R**



FEATURE

Lifetime warranty




Comes with a guarantee that it will be free from defects or damage for the life of our product. If our product fails due to a defect or damage, we will repair or replace it at no cost to the customer.

First focal plane scope




As the magnification changes, the reticle is enlarged and reduced in proportion to the image. The reticle can be used for distance measurement or ballistic drop at any magnification.

Turret lock system



Turret lock is a feature of some riflescope models that allows the shooter to lock the turrets in place after sighting in the rifle.

Audible mechanical clicks



Audible clicks for elevation and windage adjustment. Precisely know your click value for each adjustment, easy to remember and adjust.

Focus range




Adjusts the parallax of the scope, allowing for clearer reticle when shooting at different distances. It can help to improve accuracy and precision when shooting.

30mm tube size



Tube size is an important factor to consider when purchasing a rifle scope. The tube size determines the amount of light that enters the scope, which directly affects the field of view.

Edge-to-Edge image





With border-less imaging technology, the edge of the imaging field of view is completely filled without any black border area.

Side focus



Side focus scopes are popular among long-range shooters as they allow for precise adjustments to be made quickly without having to take your eye off the target.

DIMENSIONS



PACKAGING

30mm picatinny scope rings




Cleaning cloth




DIY spare elevation turret



Honeycomb sunshade



Lens caps



Scope universal big wheel

(need to buy)



LIFETIME WARRANTY

Comes with a guarantee that it will be free from defects or damage for the life of our product





VISUAL FEAST

www.vectoroptics.com