

A person wearing a brown hooded jacket and camouflage clothing is aiming a rifle with a scope in a forest. The background shows a vast, hazy landscape of rolling hills and mountains. The text 'ORION SFP' is overlaid in white, bold, sans-serif font.

ORION SFP

Crystal, classic, competitive





FMC LENS

Fully-multi-coated is a multiple coating onto the lens surface to reduce reflections and increase transmission



SHOCK PROOF

Shock tested to 1000g and constructed with durable materials & resistant coatings to ensure internal components are not damaged by recoil





6 LEVELS ILLUMINATION



Second focal plane scope



In second focal plane riflescopes the reticle stays the same size while the target grows and shrinks when you adjust the magnification.


Zoom factor



Zoom factor is a crucial feature in any rifle scope. It determines the magnification range of the scope, which directly impacts the shooter's ability to hit targets at varying distances.




Focus range



Adjusts the parallax of the scope, allowing for clearer reticle when shooting at different distances. It can help to improve accuracy and precision when shooting.


Side focus



Side focus scopes are popular among long-range shooters as they allow for precise adjustments to be made quickly without having to take your eye off the target.

TURRET LOCK

Turret lock is a feature of some riflescope models that allows the shooter to lock the turrets in place after sighting in the rifle



ORION SERIES

SFP

FFP

Magnification
4-16x

Objective Lens Dia
44mm

Ocular Lens Dia
36mm

Exit Pupil (mm)
11.0-2.7

Eye Relief (mm / in)
105-100 / 4.1-3.9

Battery Type
CR2032

F.O.V (@100yds)
21.1-5.3 feet

Finish
Black matte

Diopter compensation
-2 to +2

Adjustment range
50MOA

Click Value
1/4 MOA

Illumination
6 levels **R**

Length (mm / inch)
328 / 12.9

Weight (net)(g / oz)
675 / 23.8



FEATURE

5 years warranty




A 5-year warranty guarantees that a product will be free from defects for five years from the purchase date. If the product fails within this period, Vector Optics will repair or replace it at no cost to the customer, providing peace of mind.

Second focal plane scope




In second focal plane riflescopes the reticle stays the same size while the target grows and shrinks when you adjust the magnification.

Turret lock system



Turret lock is a feature of some riflescope models that allows the shooter to lock the turrets in place after sighting in the rifle.

Audible mechanical clicks



Audible clicks for elevation and windage adjustment. Precisely know your click value for each adjustment, easy to remember and adjust.

Focus range




Adjusts the parallax of the scope, allowing for clearer reticle when shooting at different distances. It can help to improve accuracy and precision when shooting.

30mm tube size




Tube size is an important factor to consider when purchasing a rifle scope. The tube size determines the amount of light that enters the scope, which directly affects the field of view.

Edge-to-Edge image





With border-less imaging technology, the edge of the imaging field of view is completely filled without any black border area.

Side focus



Side focus scopes are popular among long-range shooters as they allow for precise adjustments to be made quickly without having to take your eye off the target.

DIMENSIONS & PACKAGING



5 YEARS WARRANTY

5 years of worry-free ownership



VECTOR OPTIC



VISUAL FEAST

www.vectoroptics.com